

## Single-fed circularly polarized dielectric resonator antenna using a uniaxial anisotropic material

Carlos David Morales Peña, Christophe Morlaas, Alexandre Chabory, Romain Pascaud, Marjorie Grzeskowiak, Gautier Mazingue

### ► To cite this version:

Carlos David Morales Peña, Christophe Morlaas, Alexandre Chabory, Romain Pascaud, Marjorie Grzeskowiak, et al.. Single-fed circularly polarized dielectric resonator antenna using a uniaxial anisotropic material. The IET Conference on Antennas and Propagation (APC2019), Nov 2019, Birmingham, United Kingdom. hal-02456138

HAL Id: hal-02456138

<https://hal-enac.archives-ouvertes.fr/hal-02456138>

Submitted on 27 Jan 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# SINGLE-FED CIRCULARLY POLARIZED DIELECTRIC RESONATOR ANTENNA USING A UNIAXIAL ANISOTROPIC MATERIAL

Carlos D. Morales<sup>1,2</sup>, Christophe Morlaas<sup>1</sup>, Alexandre Chabory<sup>1</sup>, Romain Pascaud<sup>2</sup>,  
Marjorie Grzeskowiak<sup>2</sup>, Gautier Mazingue<sup>3</sup>.

<sup>1</sup> ENAC, Université de Toulouse, France.

<sup>2</sup> ISAE-SUPAERO, Université de Toulouse, France.

<sup>3</sup> Anywaves, Toulouse, France.

**Keywords:** DIELECTRIC RESONATOR ANTENNA, UNIAXIAL ANISOTROPIC DIELECTRIC, CIRCULAR POLARIZATION, RADIATING MODES.

## Abstract

A Dielectric Resonator Antenna operating in circular polarization is presented. The proposed antenna is formed by a uniaxial anisotropic dielectric and a ground plane. The optimization of the permittivity tensor and antenna dimensions is performed both theoretically and numerically using an Eigen mode analysis in Ansys HFSS. A good agreement is obtained for the resonant frequencies and quality factors of the different modes. The uniaxial anisotropic DRA radiates two degenerate orthogonal modes,  $TE_{111}^x$  and  $TE_{111}^y$ , with equal amplitudes and  $90^\circ$  phase difference in order to achieve circular polarization. An impedance bandwidth of 9.8% is accomplished and a broadside radiation pattern with left-hand circular polarization (LHCP) is achieved in simulation. Furthermore, an Axial Ratio (AR) of 0.06 dB at 2.45 GHz and a 3-dB AR bandwidth of 2.04% are obtained. The maximum simulated directivity is equal to 6.56 dBi.

## 1 Introduction

Recent advances in Additive Manufacturing (AM) pave the way for new antennas [1]. AM progress allows new capabilities in antenna designs like anisotropic or heterogeneous material manufacturing by controlling the effective permittivity of the dielectric medium. Such properties are particularly interesting for designing new dielectric resonator antennas (DRAs) [2].

DRAs offer a great flexibility in the choice of their frequency band, bandwidth, and radiation patterns due to the numerous degrees of freedom [3]. The number of degrees of freedom depends on the antenna shape, i.e. cylindrical [4], [5] or rectangular configuration [6], [7], [8]. DRAs can also exhibit good performance in circular polarization (CP). That is useful for modern satellite communications and navigation to mitigate the ionosphere multipath fading and maximize the polarization efficiency [9], [10]. Generally, CP is achieved by using complex feed structures or incorporating symmetric perturbation elements which modify the antenna shape. In this paper, a single-fed DRA using a uniaxial anisotropic dielectric is proposed to obtain CP, maintaining its square dimensions.

In the literature, anisotropic materials mainly have been proposed to achieve CP for microstrip antenna applications. In [11], a dual frequency linear polarization microstrip antenna has been performed. The antenna is composed of a metallic anisotropic Complementary Split Ring Resonator (CSRR) with two concentric slots rings and small gaps. The gaps are used to create a perturbation, allowing the antenna operates in

CP. In [10], a CP antenna formed by a metallic anisotropic conductor of parallel thin metal strips has been developed. The wire-mesh conductor is optimized to design a miniaturized CP antenna and its performance is compared with conventional corner-truncated square microstrip antenna.

However, circularly polarized DRAs using anisotropic dielectric materials have not been proposed in the literature. The related DRA designs that have been proposed use the anisotropic properties of dielectric materials to improve the directivity and control the resonant frequency of DRA antennas. For example, in [12], a linearly polarized DRA formed by an anisotropic layered medium with Degenerate Band Edge (DBE) properties has been developed. By using an anisotropic medium alternating barium titanate and aluminium, the coupling of  $TM_{011}^y$  and  $TE_{101}^y$  modes is altered for controlling the resonant frequency. In addition, a uniaxial anisotropic DRA has been proposed in [12] for enhancing the boresight directivity. The directivity improvement is based on the higher mode excitation by using an anisotropic dielectric. In [13], a uniaxial anisotropic DRA for operating at 3.5 GHz WIMAX band with linear polarization has been designed. The anisotropic material is employed for improving the directivity and bandwidth of the DRA operating at the fundamental  $TE_{111}^y$  radiating mode.

In this paper, we want to show how a uniaxial anisotropic material can provide a new degree of freedom in DRA design. We propose a single-fed Circularly Polarized (CP) antenna based on a uniaxial Anisotropic Rectangular DRA (ARDRA). The goal is to design an ARDRA with two orthogonal modes,

namely the  $TE_{111}^y$  and  $TE_{111}^x$  modes, to achieve CP. A methodology for determining the geometrical dimensions and permittivity tensor of the uniaxial ARDRA is proposed using an Eigen mode analysis in Ansys HFSS. Additionally, a parametric analysis is developed to optimize the antenna performance.

## 2. Methodology

In order to obtain CP with a single feed, a rectangular DRA can be excited by using a  $50 \Omega$  probe feed along the diagonal. In such a way, two degenerate modes are excited. These modes must be  $90^\circ$  out of phase and with same magnitude to produce CP. The resonant frequencies ( $f_1 < f_2$ ) of both degenerate modes can be expressed as [14]

$$f_1 = f_o \left(1 - \frac{1}{2Q_1}\right) \quad (1)$$

$$f_2 = f_o \left(1 + \frac{1}{2Q_2}\right) \quad (2)$$

where  $f_o$  is the center frequency,  $f_1$  and  $Q_1$  are the resonant frequency and quality factor of the  $TE_{111}^x$  mode,  $f_2$  and  $Q_2$  are the resonant frequency and quality factor of the  $TE_{111}^y$  mode.

CP is generally obtained by changing the antenna dimensions to match (1) and (2). Here, we proposed to optimize the permittivity tensor of an anisotropic DRA, while maintaining its square dimensions to design a DRA in CP.

The electric properties of the anisotropic medium depend on the direction of the applied electric field [15]. For our uniaxial anisotropic material, we consider the following permittivity tensor

$$\bar{\epsilon} = \begin{bmatrix} \epsilon_{\perp} & \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \epsilon_{\parallel} & \mathbf{0} \\ \mathbf{0} & \mathbf{0} & \epsilon_{\parallel} \end{bmatrix}$$

The optical axis of the anisotropic medium is here placed along  $x$ -direction. The  $TE_{111}^x$  mode with  $f_1$  and  $Q_1$  remains as with an isotropic dielectric due to the symmetry in  $\epsilon_{\parallel}$  along  $y$  and  $z$  directions. On the other hand, the  $TE_{111}^y$  mode with  $f_2$  and  $Q_2$  is altered by the anisotropic properties of the dielectric. Indeed, both permittivities  $\epsilon_{\perp}$  and  $\epsilon_{\parallel}$  have an impact on the  $TE_{111}^y$  mode.

The methodology to design a uniaxial ARDRA operating in CP relies in the following steps:

1. The height of the antenna  $h = \frac{d}{2}$ ,  $\epsilon_{\parallel}$  and  $f_o$  are fixed as initial values of the algorithm.
2. Based on the initial values and the proposed permittivity tensor, the square dimensions of the DRA are computed by using the simplified isotropic Dielectric Waveguide Model (DWM) [3]. In this step, we analyze the  $TE_{111}^x$

mode that relies only on  $\epsilon_{\parallel}$  to find  $a$  and  $b$  imposing  $a=b$ , so that  $f_1$  and  $Q_1$  allow to reach  $f_o$  using (1).

3. Eigen mode analysis is performed to determine  $\epsilon_{\perp}$  of the uniaxial material. To accomplish this requirement, an algorithm in MATLAB is implemented. The algorithm analyzes the data provided by HFSS, resonant frequency and quality factor of the  $TE_{111}^y$  mode, and selects the value for  $\epsilon_{\perp}$  which satisfy (2) to achieve CP.

## 3 Results

A uniaxial DRA in CP at the center frequency  $f_o=2.45$  GHz is designed by using the methodology proposed in the previous section. The parameters  $d=23.3$ mm and  $\epsilon_{\parallel} = 20$  are defined as input values. As a result, the square dimension of the DRA is  $a=b=21.4$  mm to satisfy (1).

Fig. 1 shows the design of the proposed antenna. It consists of our uniaxial anisotropic DR on a ground plane of size  $0.65 \lambda_o \times 0.65 \lambda_o$ . The coaxial probe has a diameter  $d_f=0.9$  mm and height  $h_f=10.5$  mm. The probe and finite size ground plane have a small impact on the frequency response of the DRA. Therefore, the square dimensions ( $a=b$ ) of the designed DR using our methodology are slightly modified. The final dimensions are  $a=b=22.3$  mm.

Finally, Eigen mode analysis of step 3 gives the permittivity tensor of the proposed ARDRA  $\epsilon_{\perp}=15$  and  $\epsilon_{\parallel}=20$ . The electric properties obtained are:  $f_1=2.38$  GHz,  $f_2=2.53$  GHz,  $Q_1=17.56$  and  $Q_2=15.53$ , that satisfy (1) and (2).




Fig. 1 Configuration of the ARDRA.

Once the DRA is optimized with our methodology,  $TE_{111}^x$  and  $TE_{111}^y$  modes are excited using a probe feed placed near the corner of the uniaxial ARDRA. The coupling between the probe and the DR can be controlled by varying the length and position of the probe along  $y$ -direction. Thus, a parametric analysis in HFSS is performed to optimize the feed position and maximize the coupling. Fig. 2 depicts the return loss of the ARDRA with a variation of the probe feed position from

the corner of the ARDRA along  $y$  (coordinate  $\frac{d_f}{2}, \Delta s + \frac{d_f}{2}$ ). Maximum coupling is obtained at  $\Delta s=4$  mm, where both degenerate modes present an identical reflection coefficient.




Fig. 2 Simulated  $S_{11}$  of the ARDRA by varying the position of the probe.

Fig. 3 depicts the simulated return loss of the final ARDRA. Good coupling between the probe feed and DR is achieved. The antenna has an impedance bandwidth (BW for  $|S_{11}| > 10$  dB) of 9.8% covering the frequency band 2.34 GHz - 2.58 GHz.




Fig. 3 Simulated  $S_{11}$  of the proposed ARDRA.

Fig. 4 illustrates the simulated Smith chart of the proposed antenna. Note that it achieves a perfect matching at the center frequency  $f_o=2.45$  GHz.

2.04%, corresponding to the frequency band of 2.43 GHz - 2.48 GHz.




Fig. 4 Simulated Smith chart of the proposed ARDRA.

In addition, Fig. 6 shows the simulated axial ratio versus theta for the proposed ARDRA for  $\phi=0$ . The axial ratio is below 3 dB at 2.45 GHz, when  $\theta$  covers from  $-63^\circ$  to  $+48^\circ$ .




Fig. 5 Simulated axial ratio vs frequency of the proposed ARDRA at  $\theta=0^\circ$  and  $\phi=0^\circ$ .

Given the anisotropic properties of the DRA, by placing the probe near the diagonal and adjusting the permittivity tensor of uniaxial anisotropic dielectric,  $-90^\circ$  phase difference and same magnitudes between both degenerate modes can be achieved in order to obtain left hand CP. The proposed ARDRA has a simulated 3-dB Axial Ratio (AR) of 0.06 dB at 2.45 GHz,  $\phi=0$  and  $\theta=0^\circ$ , as shown in Fig. 5. Moreover, the circularly polarized antenna has a 3-dB AR bandwidth of about

Fig. 7 depicts the simulated radiation patterns of the ARDRA, showing good LHCP radiation. Fig. 8 illustrates the simulated 3D radiation pattern of the ARDRA. The antenna patterns have a broadside radiation  $\theta=0^\circ$  and the maximum directivity is 6.56 dBi at 2.45 GHz.

Finally, the results obtained in this work are compared with similar projects using anisotropic materials to obtain CP, as shown in Table 1. In [10], a metallic anisotropic conductor is used to generate two orthogonal modes for achieving CP in a microstrip antenna at 2.5 GHz. Despite the antenna operates in CP, it presents a reduced impedance and AR bandwidths. Secondly, a microstrip antenna with a metallic square-shaped

CSRR-perpendicular provides anisotropic properties in order to achieve CP at 4.2 GHz [11]. For obtaining CP, the resonant frequencies of the antenna are altered by adjusting the position and size of the CSRR. However, note that the antenna presents a reduced AR bandwidth due to the small size. In contrast with [10] and [11], our proposed antenna is based on a uniaxial anisotropic dielectric material. Observe that using an inhomogeneous dielectric, there is an increase of the number of degrees of freedom and an improvement of the antenna bandwidth based on simulations.




Fig. 6 Simulated axial ratio vs theta of the proposed ARDRA at  $f_0=2.45$  GHz and  $\phi=0^\circ$ .




Fig. 7 Simulated normalized directivity of the ARDRA for LHCP and RHCP at  $f_0=2.45$ ,  $\theta=0^\circ$  and  $\phi=0^\circ$ .

Table 1 CP antenna performances using anisotropic materials.

Topology	Size	Impedance BW	AR BW	Gain
Wire-mesh microstrip antenna [10]	$0.16 \lambda_0 \times 0.16 \lambda_0$	1%	0.7%	5 dBi
Microstrip antenna with CSRR [11]	$0.28 \lambda_0 \times 0.28 \lambda_0$	4.2%	0.04%	6.2 dBi
Proposed DRA	$0.65 \lambda_0 \times 0.65 \lambda_0$	9.8%	2.04%	6.6 dBi




Fig. 8 Simulated 3D total directivity of the proposed ARDRA at  $f_0=2.45$ .

## 4 Conclusion

An anisotropic dielectric resonator antenna has been designed to achieve circular polarization at 2.45 GHz. The location of the optical axis at  $x$ -direction allows the independent control of the  $TE_{111}^y$  mode in order to accomplish the proper phase shift and magnitude with respect to the  $TE_{111}^x$  mode.

The methodology applied in this research by combining the DWM and Eigen modes showed satisfactory results to design a uniaxial anisotropic DRA operating in circular polarization. In addition, the use of anisotropic dielectrics for DRA design offer new possibilities for obtaining better bandwidth and gain.

The use of uniaxial anisotropic dielectric materials allows to increase the number of degrees of freedom and control the polarization for designing new DRAs with exotic properties.

## 6 References

- [1] M. Liang and H. Xin, "Three-dimensionally printed/additive manufactured antennas," *Handb. Antenna Technol.*, pp. 1–30, 2014.
- [2] T. Marc, M. Cyrille, D. Nicolas, T. Olivier, R. Maxime, and N. Capet, "A Dielectric Resonator Antenna designed with a structured dielectric material," in *2018 IEEE Conference on Antenna Measurements & Applications (CAMA)*, 2018, pp. 1–2.
- [3] A. Petosa, *Dielectric resonator antenna handbook*. Artech House Publishers, 2007.
- [4] G. D. Makwana and D. Ghodgaonkar, "Wideband stacked rectangular dielectric resonator antenna at 5.2 GHz," *Int. J. Electromagn. Appl.*, vol. 2, no. 3, p. 2012, 2012.
- [5] L. Zou, D. Abbott, and C. Fumeaux, "Omnidirectional cylindrical dielectric resonator antenna with dual polarization," *IEEE Antennas Wirel. Propag. Lett.*, vol. 11, pp. 515–518, 2012.

- [6] R. K. Mongia and A. Ittipiboon, "Theoretical and experimental investigations on rectangular dielectric resonator antennas," *IEEE Trans. Antennas Propag.*, vol. 45, no. 9, pp. 1348–1356, 1997.
- [7] A. Petosa and S. Thirakoune, "Rectangular dielectric resonator antennas with enhanced gain," *IEEE Trans. Antennas Propag.*, vol. 59, no. 4, pp. 1385–1389, 2011.
- [8] Y. M. Pan, K. W. Leung, and K. Lu, "Omnidirectional linearly and circularly polarized rectangular dielectric resonator antennas," *IEEE Trans. Antennas Propag.*, vol. 60, no. 2, pp. 751–759, 2012.
- [9] W. Li, K. W. Leung, and N. Yang, "Omnidirectional Dielectric Resonator Antenna With a Planar Feed for Circular Polarization Diversity Design," *IEEE Trans. Antennas Propag.*, vol. 66, no. 3, pp. 1189–1197, 2018.
- [10] J. Oh and K. Sarabandi, "A topology-based miniaturization of circularly polarized patch antennas," *IEEE Trans. Antennas Propag.*, vol. 61, no. 3, pp. 1422–1426, 2013.
- [11] H. Zhang, Y.-Q. Li, X. Chen, Y.-Q. Fu, and N.-C. Yuan, "Design of circular/dual-frequency linear polarization antennas based on the anisotropic complementary split ring resonator," *IEEE Trans. Antennas Propag.*, vol. 57, no. 10, pp. 3352–3355, 2009.
- [12] S. Yarga, K. Sertel, and J. L. Volakis, "Multilayer dielectric resonator antenna operating at degenerate band edge modes," *IEEE Antennas Wirel. Propag. Lett.*, vol. 8, pp. 287–290, 2009.
- [13] S. Fakhte, H. Oraizi, and L. Matekovits, "High gain rectangular dielectric resonator antenna using uniaxial material at fundamental mode," *IEEE Trans. Antennas Propag.*, vol. 65, no. 1, pp. 342–347, 2017.
- [14] W. L. Langston and D. R. Jackson, "Impedance, axial-ratio, and receive-power bandwidths of microstrip antennas," *IEEE Trans. Antennas Propag.*, vol. 52, no. 10, pp. 2769–2774, 2004.
- [15] C. A. Balanis, *Advanced engineering electromagnetics*. John Wiley & Sons, 1999.